


CCS-FASTLOX.

The first ever clickable clevis shackle. From RUD.

NEW!





Do you believe that connecting
a shackle has to be time-consuming?

Think you need tools to
mount your clevis shackle?

Still don't believe you can use
a shackle as a hook?

Do you worry about losing
small parts when mounting?


**THINK
AGAIN!**



INTRODUCING THE FIRST EVER CLICKABLE CLEVIS SHACKLE. FROM RUD. **CCS-FASTLOX.**



**INSERT.
CLICK.
LOCK.
DONE.**

With the new CCS-FASTLOX, you no longer have to waste time – or lose any small parts. The innovative click mechanism not only makes assembly and disassembly much quicker and easier, it also makes it audibly safer.





LIFTING, REDEFINED. BE ONE CLICK CLOSER TO THE FUTURE.

At RUD, we work every day to make our users' work even safer, easier and more efficient in the future. The CCS-FASTLOX is just one of many examples of this.


CLICKABLE CLEVIS SHACKLE:

- Real time savings: up to 80 % faster mounting and dismounting.
- Easiest tool-free handling: without bolts, nuts or cotter pins.
- Exceptional safety: automatic securing of the shackle pin.
- Prevents incorrect bolt mounting.
- Very high durability versus conventional shackles.
- Can also replace a hook.
- Available in grade 120 (ICE) and grade 100 (VIP).

TWO GRADES - MANY SIZES

Grade 120 (ICE): 4-16 mm

Grade 100 (VIP): 6-22 mm



TECHNICAL DATA

ICE-CLEVIS SHACKLE WITH QUICK-RELEASE FASTENER – 4 mm.

Chains	WLL (t)	Type	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	T [mm]	Weight (kg/unit)	Ref. No.
4	0.8	ICE CCS-FASTLOX 4	14	8	23	10	30	51.5	24	41	0.17	7912242

Subject to technical changes!

ICE-CLEVIS SHACKLE WITH QUICK-RELEASE FASTENER – 6–16 mm.


Chains	WLL (t)	Type	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	T [mm]	Weight (kg/unit)	Ref. No.
6	1.8	ICE CCS-FASTLOX 6	17	8	23	10	21	51.5	32	36	0.18	7912243
8	3	ICE CCS-FASTLOX 8	21	10	27	12	32	64	39	50	0.35	7912244
10	5	ICE CCS-FASTLOX 10	27	13	36.5	16	35.5	80	51	60	0.76	7912245
13	8	ICE CCS-FASTLOX 13	33	17	45.5	20	41.5	103	68	77	1.6	7912246
16	12.5	ICE CCS-FASTLOX 16	38	21	55	24	49	123.5	80	95	3	7912247

Subject to technical changes!

VIP-CLEVIS SHACKLE WITH QUICK-RELEASE FASTENER – 6–22 mm.

Chains	WLL (t)	Type	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	T [mm]	Weight (kg/unit)	Ref. No.
6	1.5	VIP CCS-FASTLOX 6	17	8	23	10	21	51.5	32	36	0.19	7912219
8	2.5	VIP CCS-FASTLOX 8	21	10	27	12	32	64	39	50	0.36	7912220
10	4	VIP CCS-FASTLOX 10	27	13	36.5	16	35.5	80	51	60	0.77	7912221
13	6.7	VIP CCS-FASTLOX 13	33	17	45.5	20	41.5	103	68	77	1.6	7912222
16	10	VIP CCS-FASTLOX 16	38	21	55	24	49	123.5	80	95	3	7912223
20	16	VIP CCS-FASTLOX 20	47	27	65	30	57	153.5	90	108	5	7912224
22	20	VIP CCS-FASTLOX 22	53	30	76	36	72.5	172	97	130	7.3	7912225

Subject to technical changes!





RUD Ketten
Rieger & Dietz GmbH u. Co. KG

Friedensinsel
73432 Aalen, Germany

Phone: +49 7361 504-1070

Mail: sling@rud.com
Web: slingandlashing.rud.com
www.rud.com